





It's All About Early Detection

Meet Greg, he loves golfing, volunteering and traveling with his wife...he's a busy guy! Greg was scheduled for his third routine colonoscopy, remembered the extensive preparation required and knew he didn't want to go through that again. At a recent golf event he learned about the same stool DNA colon cancer screening test that could be done in the privacy of his home with no prep. After speaking with his doctor, Greg had his prescription filled and was relieved when the results came back negative.

And you can trust the science behind this stool DNA test too. Developed with Mayo Clinic, Cologuard's proprietary stool DNA technology can analyze and detect 11 distinct biomarkers that identify cancer and precancer. And it finds 92% of cancer in stages I-IV.⁷⁴ Plus it fits seamlessly into your life because there's no prep, no diet or medication changes, you use it in the privacy of your own home, and it is covered by most major medical insurance for eligible patients and by Medicare as well. It's that simple.



Give Yourself the Gift of Health

No more excuses - now there's no reason to put off screening! Early detection of colon cancer means catching it when it is most treatable. Be proactive about your health and talk to your healthcare provider about your screening options.

Take the first step for you or your loved one. Download the Cologuard Order Form and take it with you to your next doctor visit.

About Cologuard

Cologuard is intended for the qualitative detection of colorectal neoplasia associated DNA markers and for the presence of occult hemoglobin in human stool. A positive result may indicate the presence of colorectal cancer (CRC) or advanced adenoma (AA) and should be followed by diagnostic colorectory.

Cologuard is indicated to screen adults of either sex, 50 years or older, who are at typical average-risk for CRC. Cologuard is not for everyone; not for high risk individuals, including those with a family history of colorectal cancer, a personal history of colorectal cancer or advanced adenoma, IBD and certain hereditary syndromes. Positive Cologuard results should be referred to diagnostic colonoscopy. A negative Cologuard test result does not guarantee absence of cancer or advanced adenoma. Following a negative result, patients should continue participating in a screening program at an interval and with a method appropriate for the individual patient. Cologuard performance when used for repeat testing has not been evaluated or established. Rx only.

Also of Interest

What celebrating your 50s should look like

Sources

¹ American Cancer Society. Cancer Facts & Figures 2018 (PDF). Last revised January 4, 2018. Accessed July 24, 2018

 2 American Cancer Society. Colorectal Cancer Facts & Figures 2017-2019 (PDF). Accessed July 24, 2018.

³ SEER Cancer Stat Facts: Colorectal Cancer. National Cancer Institute. Bethesda, MD

⁴ Imperiale TF, Ransohoff DF, Itzkowitz, et al. Multitarget stool DNA testing for colorectal-cancer screening. N Engl J Med. 2014;370(14):1287-1297.

^{*} When the term colon cancer is used in this article, it is intended to encompass colorectal cancer which includes both colon and rectal cancer.

[†]5-year survival rate

⁵ Footh false positives and false negatives do occur. In a clinical study of Cologuard, 13% of people without cancer or precancer tested positive.







What Celebrating Your 50s Should Look Like

It begins an exciting, new chapter

by Cologuard (Paid Content) | Comments: 0



It's the beginning of a whole new exciting chapter!

Fifty is a milestone, but it's also a great time to start celebrating all the adventures ahead. Being 50 today doesn't look like it used to - we're active, healthy, engaged, and energized for another 50 years!

Ahead of the Curve

At 50, staying healthy means being proactive about your health. It's especially important now to stay active, make daily exercise a part of your regular routine, eat a diet full of fresh fruits, vegetables, and whole grains, don't smoke and limit your intake of saturated fats and sugar.¹

One critical way you can stay ahead of the curve is to make preventive health measures a priority. Cancer screening is particularly important. Of cancers that affect both men and women, colon cancer is the second leading cause of cancer-related deaths in the United States. The leading national health guidelines recommend you begin colon cancer screening at age 50, when your risk for the disease increases. But the good news is that it's highly treatable, with a 90% survival rate of if aught in the early stages.

You're in Control

You made some really great decisions in life so far - maybe you've raised a family, you volunteer in your community or have started your own business. Here's another important decision you need to make: take control of your health through simple steps like getting screened for colon cancer. Talk to your doctor about screening options, including an accurate, noninvasive stool DNA colon cancer screening option you can use at home. Cologuard is the only stool DNA test approved by the FDA for people 50 years and older who are at average risk for colorectal cancer. It can be used in the privacy of your home, requires no prep or disruption of your routine and identifies changes in DNA associated with colon cancer. It is covered by Medicare and Medicare Advantage with no oc-pay or deductible for eligible patients, and more than 85% of all patients who use this option have no out-of-pocket cost for screening. ‡

Make it a Decade to Remember

It's never too late to try new things; in fact, turning 50 is an ideal time to start. If you haven't yet taken a proactive approach to your health, make today the day. Don't put off getting screened for colon cancer at the recommended age of 50° because you're avoiding colonoscopy. Instead, if you are healthy and don't have any known risk factors for colon cancer, give yourself and your loved ones the gift of health by screening for colon cancer with a noninvasive and highly effective option. You have many active decades ahead!

See how effective and easy a noninvasive screening option you can use at home can be







BRANDAMP BY AARP





About Cologuard

Cologuard is intended for the qualitative detection of colorectal neoplasia associated DNA markers and for the presence of occult hemoglobin in human stool. A positive result may indicate the presence of colorectal cancer (CRC) or advanced adenoma (AA) and should be followed by diagnostic colonoscopy.

Cologuard is indicated to screen adults of either sex, 50 years or older, who are at typical average-risk for CRC. Cologuard is not for everyone; not for high risk individuals, including those with a family history of colorectal cancer, a personal history of colorectal cancer or advanced adenoma, IBD and certain hereditary syndromes. Positive Cologuard results should be referred to diagnostic colonoscopy. A negative Cologuard test result does not guarantee absence of cancer or advanced adenoma. Following a negative result, patients should continue participating in a screening program at an interval and with a method appropriate for the individual patient.

Cologuard performance when used for repeat testing has not been evaluated or established. Rx

Also of Interest

· Is colon cancer screening really that important?

* When the term colon cancer is used in this article, it is intended to encompass colorectal cancerwhich includes both colon and rectal cancer.

†5-year survival rate

[‡] Rate of coverage varies by state and region. Coverage rate only applies to Cologuard screening population. Based on the Affordable Care Act, colon cancer screening should be covered by most private insurers with no co-pay or deductible for eligible patients (ages 50-75; at average risk for colon cancer, without symptoms). Some exceptions may apply, so it is recommended that patients call their insurer to confirm.

 § 50 is the recommended age for colon cancer screening for those at average risk according to the United States Preventive Services Task Force

Sources

¹ Li Y, Pan An, Wang D, et al. Impact of healthy lifestyle factors on life expectancies in the US population. *Circulation*. 2018; 13:345-355.

² American Cancer Society. Cancer Facts & Figures 2018 (PDF). Last revised January 4, 2018.
Accessed July 24, 2018.

³ Bibbins-Domingo K, Grossman DC, Curry SJ, et al; for US Preventive Services Task Force. Screening for colorectal cancer: US Preventive Services Task Force recommendation statement. JAMA. 2016; 315(23): 2564-2575.

 $^4\,\mathrm{SEER}$ Cancer Stat Facts: Colorectal Cancer. National Cancer Institute. Bethesda, MD

⁶ Imperiale TF, Ransohoff DF, Itzkowitz, et al. Multitarget stool DNA testing for colorectal-cancer













3. Welcoming a New Grandchild: An empty nest often means your children are preparing their own nests to grow their families. Both you and your lods are charting new territory. As someone with experience, you're in the perfect position to offer a helping hand and a little advice (only if asked!) Plus you can enjoy the benefits of little ones — without the stress and sleepless nights of raising them.

Here are some tips on how to fully engage in the role of new grandparent

- Make mealtime easier: Remember how overwhelming having a newborn can be? New
 parents often welcome having a few ready-made meals available. Cook up some of their
 favorite foods, and make sure there's enough to freeze for later. If you're not nearby,
 consider ordering a few meals from the new parents' favorite restaurants or local grocery
- Offer to babysit: New parents need support. The stress and strain of a new baby can leave
 them feeling exhausted and disconnected. Let them know that when they're ready to feave
 their bundle of joy, you're there ready to help. They get a break and you get to enjoy some
 practicus one on post final.



While You Make These Milestones Happen – Be Proactive About Your Health

Today's science has brought new technologies that help to identify many diseases, and there are recommended screening tests that adults 50 and over should consider.

- De lin the know Chaceves that affects both men and women, colon cancer is the second leading cause of cancer shat affects both men and women, colon cancer is the second leading cause of cancer-related deaths in the United States! After age 50, your risk for colon cancer increases significantly, and your doctor will recomment regular screenings at this time for those at averager visk. The good news? When caught in the early stages, colon cancer has a 90% survival rate, ¹ and screening is now assier than ever."
- Cancer in as a 5° s of surface and a size of the position (SA) exceeding a patient approved by the FDA for people 50 years and older who are at average risk for colorectal cancer.

 Developed with Mayo Clinic, Coloquard's proprietary stool DNA technology can analyze and detect 11 distinct biomarkers that destrib cancer and presencer. And it finds 92% of cancer in stages I-IV with 87% specificity.

 Fulse if the sealy into your life because there's no prop. on defor or medication changes, you use in the privacy of your own home, and it is covered by most major medical insurance for eligible patients and by Medicare as well.

Pledge today that you and your loved ones will get screened for colon cancer. Early detection of colon cancer means catching it when it is most treatable.

Take care of yourself and think of your loved ones. Download the Cologuard Discussion Guide and take it with you to your next healthcare provider visit. Cologuard is available by prescription only.

About Cologuard

Coloquard is intended for the qualitative detection of colorectal neoplasia associated DNA markers and for the presence of occult hemoglobin in human stool. A positive result may indicate the presence of colorectal cancer (CRC) or advanced adenoma (AA) and should be followed by diagnostic colonoscopy.

diagnostic colonoscopy.

Coloquard is included to screen adults of either sex, 90 years or older, who are at typical average-risk for CRC. Coloquard is notificated to screen adults of everyone, not for high risk individuals, including those with a family history of colonicatal canner, a personal history of colonicatal canner or advanced adenoma, BD and certain hereditary syndromes. Positive Coloquard results should be referred to diagnostic colonoscopy. A negative Coloquard test result does not guarantes absence of canner or advanced adenoma. Following a negative result, patients should continue participating in a screening program at an interval and with a method appropriate for the individual patient. Coloquard performance when used for repeat testing has not been evaluated or established. Rx only.

Also of Interest

 Giving Thanks – 3 Stories That Demonstrate the Importance of Early Colon Cance Screening

¹ American Cancer Society. Colorectal Cancer Facts & Figures 2017-2019. (PDF) Accessed October 3, 2018.


† 5-year survival rate

Noone AM, Howlader N, Krapcho M, Miller D, Brest A, Yu M, Ruhl J, Tatalovich Z, Mariotto A, Lewis DR, Chen HS, Feuer E, Cronin KA (eds). SEER Cancer Statistics Review, 1975-2015, National Cancer Institute Bethesda, MD, based on November 2017 SEER data submission, posted to the SEER web site, April 2018. Accessed July 24, 2018.

⁸⁸ The Sensitivity Of Stool DNA (sDNA) Screening For Colorectal Cancer. Cologuardtestcom 2018. Accessed October 3, 2018.















Being proactive about my health is my super power.

- Nina M., 54 Cleveland, OH

Overcoming Fears: Nina's Story

Nina is living her best life, she runs her own business, travels a lot, and loves to go on motorcycle adventures with her husband. She's proactive about her health - she eats right and exercises regularly. But there's one thing she had been putting off, her screening colonoscopy. Having a screening colonoscopy was simply something she was afraid to do. Plus, she didn't want to invest the time in an invasive colon cancer screening test that required a day of prep, time off work and arranging transportation to and from the procedure. In addition, with no family history of colon cancer, she wondered how important getting screened could really be.

At her annual check-up, her health care provider brought up scheduling her screening colonoscopy and Nina spoke honestly about what was holding her back. She was pleasantly surprised to hear about a noninvasive alternative screening test that can be used at home and agreed with her health care provider's recommendation to use Cologuard, the only stool DNA test approved by the FDA for people 50 years and older who are at average risk for colon cancer.

Nina's Cologuard test result was "positive," meaning that it detected a potential abnormality and she completed a follow up diagnostic colonoscopy, which indicated the presence of pre-cancer. Because of early detection, treatment was quick and successful.

A Screening Option to be Thankful For

There's no reason to put off getting screened. Developed with Mayo Clinic, Cologuard's proprietary stol DNA technology can analyze and detect 11 distinct biomarkers that identify cancer and pre-cancer. And it finds \$2% of cancer in stages I-IV with \$7% specificity. \(^{3}\) Pulsu, it fits easily into your life because there's no prep, no diet or medication changes. You use Coloquard in the privacy of your own home, and it is covered by most major medical insurance for eligible. patients and by Medicare as well.

Talk to Your Healthcare Provider about Colon

- 2. Have you been avoiding a screening colonoscopy? Yes or No

Then Ask This:

- What are my risk factors for colon cancer? Do I have any symptoms?
 What are my screening options? How do they differ?
 Is Cologuard right for me?

Click here to download the Cologuard Discussion Guide and Order Form today. Cologuard is available by prescription only.

About Cologuard

Coloquard is intended for the qualitative detection of colorectal neoplasia associated DNA markers and for the presence of occult hemoglobin in human stool. A positive result may indicate the presence of colorectal cancer (CRC) or advanced adenoma (AA) and should be followed by diagnostic colonoscopy.

Coloquard is indicated to screen adults of either sex. 50 years or older, who are at typical Coopulat is situated to structed by screen adults of entire set, 30 years of unter, who are at price as warrage-risk for CRC. Cologurat is not for everyone, not for high risk individuals, including those with a family history of colorectal cancer, a personal history of colorectal cancer or advanced adenoma, IBD and certain hereditary syndromes. Positive Cologurat results should be referred to diagnostic colonoscopy. A negative Cologurat test result does not guarantee absence of cancer or advanced adenoma. Following a negative result, patients should continue participating in a screening program at an interval and with a method appropriate for the individual patient. Cologuard performance when used for repeat testing has not been evaluated or established. Rx

Also of Interest

- Are You Ready for Life's Big Milestone Moments?
- When the term colon cancer is used in this article, it is intended to encompass colorectal cancer
- October 3, 2018.
- ⁸ Noone AM, Howlader N, Krapcho M, Miller D, Brest A, Yu M, Ruhl J, Tatalovich Z, Mariotto A, Lewis DR, Chen HS, Feuer EJ, Cronin KA (eds), SEER Cancer Statistics Review, 1975-2015, National Cancer Institute. Bethesda, MD, based on November 2017 SEER data submission, posted to the SEER web site, April 2016. Accessed July 34, 2018.
- ** The Sensitivity Of Stool DNA (sDNA) Screening For Colorectal Cancer, Color Accessed October 3, 2018.

[‡] Both false positive and false negative results occur. In a clinical study of Cologuard, 13% of people with a positive Cologuard had a diagnostic colonoscopy that did not detect cancer or precancer. A negative Cologuard test result does not guarantee absence of cancer or advanced adenoma. Following a negative result, patients should continue participating in a screening

⁴ Imperiale TF, Ransohoff DF, Itzkowitz, et al. Multitarget stool DNA testing for colorectal-cancer screening. N Engl J Med. 2014;370(14):1287-1297.